



YCI YASH
CHEMICAL INDUSTRIES

*PRAGMATIC.
SIMPLE.
EFFICIENT.
TRUSTWORTHY.*



Wide Range Of Chemical Products
PRODUCT CATALOG

INTRODUCTION

Established in the year 2021, at Ghaziabad, India, we, "Yash Chemical Industries", are engaged in manufacturing, trading and supplying excellent quality range of Degreasing Cleaners, Rust Removers, Activation Chemicals, Phosphating Chemicals, Cooling Tower Chemicals, Aluminum Cleaners, Chromotising chemicals and Paint Stripers. Our complete product array is formulated in complete compliance with the international quality standards using world class ingredients. These products are acknowledged for their excellent quality, longer shelf life, accurate composition, optimum effectyeness and best results.



In tune with the ever changing trends and demands of industry, we have constructed a high-end infrastructure to provide the best quality range of products to our esteemed clients. our infrastructural facility is segregated into various departments such as processing, research and development, quality testing etc.



Professionals working with us are well aware about the latest process and products technologies prevalent in the markets all across the globe. moreover, these professionals are highly efficient in managing and controlling the entire production process.



OUR SPECIALTIES

- 👉 Degreasing cleaners
- 👉 Rust removers
- 👉 Activation Chemicals
- 👉 Phosphating Chemicals
- 👉 Aluminum cleaners
- 👉 Chromotizing chemicals
- 👉 Rust preventive oils
- 👉 Black iodizing chemicals
- 👉 Paint strippers

PRETREATMENT FOR POWDER COATING

- WHAT IS POWDER COATING
- WHAT IS PRETREATMENT
- PRETREATMENT FOR MILD STEEL
- PRETREATMENT FOR ALUMINIUM
- PROBLEMS ENCOUNTERED BECAUSE OF IMPROPER PRETREATMENT .

1. WHAT IS POWDER COATING

Powder coating is an advanced method of applying a decorative and protective finish to a wide range of materials and products that are used by both industries and consumers. The powder used for the process is a mixture of finely ground particles of pigment and resin, which is sprayed onto a surface to be coated. The charged powder particles adhere to the electrically grounded surfaces until heated and fused into a smooth coating in a curing oven. The result is a uniform, durable, high-quality, and attractive finish.

2. WHAT IS PRETREATMENT FOR POWDER COATING

Pretreatment means surface preparation.

Here by pretreatment, we mean metal pretreatment as the powder coating is predominantly applied to metals.

Surface preparation includes:

Cleaning – mechanical or chemical

Mechanical cleaning includes methods like scratch brushing and sand blasting. This by abrasive action not only removes the surface impurities but also eliminates scratches and surface irregularities. Cleaning is very good, however, coating must be done immediately because the cleaned surface is in a highly reactive state and corrosion occurs very soon.

Chemical cleaning includes removal of dirt, oil and grease, and the oxidation products present on the surface by means of chemicals. The chemicals may be applied by wiping, spraying or dipping. The nature of chemicals used depends upon the base metal and will be discussed later in detail.

Application of conversion coating.

Conversion coating. – These are applied for three purposes: 1) provide temporary in process corrosion protection before application of powder coating. 2) promote good adhesion of the powder coating to the substrate. 3) impart under paint corrosion & thereby improve the life of the powder coating. The type of the conversion coating used also depends upon the base metal and will be discussed later.

3. PRETREATMENT FOR MILD STEEL

TENDENCY OF MATERIAL :- picking up rust when exposed to atmosphere bare.

NEED OF CLEANING - Presence of oil, grease, rust and black scale on the surface.

Mild Steel material is known for its tendency of going under rapid oxidation when exposed to atmosphere bare. The result of oxidation is the formation of oxide layer on the surface which we commonly call as 'RUST'.

To avoid this oxidation or rusting, the mild steel material is not allowed to get directly exposed to atmosphere. For this, we generally find rust preventive oil on the surface of mild steel material. The oil does not allow the material to come in direct contact with air and thus delays oxidation. However, this doesn't entirely eliminate the problem of rusting and it only delays the process of rust formation.

Some mild steel materials are hardened for strengthening and similarly some are welded during fabrication. Both these processes leave black scale on the surface.

In short, mild steel parts generally have rust and/or grease-oil and/or black scale on the surface. All these cause severe problems of bonding if not removed before application of paint.

NEED OF CONVERSION COATING – The bare metal being extremely susceptible to atmospheric corrosion should be applied with conversion coating

Before painting, once the rust, oil and scale are cleaned, the bare metal is again exposed for oxidation. To avoid this, the material has to be coated with some type of conversion coating which prevents further oxidation before applying paint and also gives adhesion for paint.

PRECLEANING OF MILD STEEL

DEGREASING - Removal of oil and grease from the surface. This can be done by

Solvent Based Degreasing:-

Petroleum based solvents have excellent degreasing abilities but are not commonly used because they are highly inflammable.

Alkaline degreasing powders :-

This is generally a blend of alkalies and surfactants. This is advised to be used under hot conditions. However, alkaline powders are also used under cold conditions as knock out degreasing stage.

Acidic Degreasing :-

These are solvent based liquids which are acidic in nature. They remove rust as well as grease under cold conditions. The bath of these chemicals is however, much expensive as their concentration is much higher than alkaline degreasing.

DERUSTING – Removal of rust and light scale from the surface.

These are necessarily acidic chemicals unlike degreasing, which may be alkaline in nature. The chemical is generally a blend of mineral acids like phosphoric acid, sulfuric acid and hydrochloric acid with added inhibitors. Higher acidity will result in faster removal of rust. However, this will affect the life of the coating applied later.

Phosphoric acid based derusting chemicals are most suggested for pretreatment of mild steel before applying paint.

DESCALING – Removal of heavy scale and heavy rust from the surface. These are strong mineral acid based chemicals with added inhibitors.

CONVERSION COATING FOR MILD STEEL

The most common types of conversion coating include :

- Zinc phosphate coating
- Iron phosphate coating

Zinc phosphate coating is crystalline heavy coating gray in colour. While iron phosphate coating is amorphous conversion coating that ranges in color from iridescent blue to gray.

Iron phosphate coating gives minimum sludge formation and hence smoother finish than zinc phosphate. Apart from this the bonding characteristics are also good. Iron phosphate processes are much easier to operate than zinc phosphate processes and require fewer process stages (zinc phosphate coating requires a predip in activation chemical prior to phosphating to have micro crystalline grain structure), but iron phosphates do not provide the degree of corrosion protection imparted by zinc phosphates.

Iron phosphate systems are therefore used for a range of products requiring a durable finish that are not exposed to severely corrosive environments.

Zinc phosphating processes have been developed to provide exceptional painted part durability in corrosive requirements. Typical industries using zinc phosphate processes include automotive, appliance and truck and bus.

POST-TREATMENT

After a metal surface receives a conversion coating, the surface is water rinsed to remove unreacted conversion coating chemicals and a post-treatment is applied. The post-treatment can provide a two- to ten-fold increase in corrosion resistance and humidity resistance when compared to conversion coatings without final rinses. Post-treatments are generally based on chromic acid.

SEQUENTIAL PROCESS FOR PRETREATMENT OF M.S.

Seven (or eight) stage treatment for zinc/iron phosphate include following stages:

1. Degreasing
2. Water rinse
3. Derusting
4. Water rinse
5. Activation : This gives more compact and uniform coating of zinc phosphate. This step can be omitted for iron phosphate process.
6. Phosphating : This forms coating of zinc phosphate (4 to 6 microns) OR iron phosphate (1 to 1.5 microns) on the clean surface of M.S.
7. Water rinse
8. Passivation : This will seal the pores of phosphating.
9. Drying.

CLEANER-COATER SYSTEM-3 IN 1 CHEMICAL.

Cleaner-coater system for mild steel is a much simplified treatment than 8 tank process. This is done in a single tank with 3 in 1 chemical. In this system, all three processes of degreasing, derusting and iron phosphating are done with single chemical, thus making the process time effective. However, its corrosion resistance and bonding properties are not as good as that of 8 tank process.)

4. PRETREATMENT FOR ALUMINIUM

TENDENCY OF MATERIAL :- Aluminium is known for its tendency of undergoing natural oxidation forming a thin layer of aluminium oxide on the surface.

NEED OF CLEANING – PRESENCE OF OIL AND/OR LAYER OF ALUMINIUM OXIDE ON ITS SURFACE.

Aluminium has a tendency to undergo natural oxidation forming a thin layer of aluminium oxide on the surface. Apart from this, commonly known process of anodizing also leaves layer of aluminium oxide under the influence of electric current. This is not a good base to apply powder or any other coating. Hence, it must be removed before powder coating.

Apart from this, there may be oil on the surface which may have come during fabrication process. This must be removed to have proper bonding of powder coating.

NEED OF CONVERSION COATING - TO PREVENT FURTHER OXIDATION OF CLEANED ALUMINIUM SURFACE.

PRECLEANING OF ALUMINIUM

This include :

Alkaline Cleaning & Acidic Cleaning

Strong alkaline cleaners

Mild alkaline cleaners

The aluminium material is very sensitive to alkaline attack. There for alkaline cleaners are milder for aluminium than for mild steel. However, if there is anodizing layer on aluminium, caustic soda based strong alkaline cleaner has to be used. However, this leaves black smut on the surface. To remove this aluminium is deeped in weak bath nitric acid.

Acidic Cleaning

These are based on phosphoric acid. They are capable of removing anodizing layer without formation of black smut and hence reduces additional step of rinsing in nitric acid.

CONVERSION COATING FOR ALUMINIUM

This include :

- Chromium Phosphate coating – Green in colour
- Chromate coating – Yellow in colour

SEQUENTIAL PROCESS FOR PRETREATMENT OF ALUMINIUM

Six stage treatment for aluminium include following stages:

1. Alkaline Degreasing
2. Water Rinse
3. Nitric acid
4. Water Rinse
5. Chromating
6. Water Rinse

Alternatively, four stage treatment for aluminium is as follows.

1. Acidic Degreasing
2. Water rinse
3. Chromating
4. Water Rinse

CLEANER-COATER SYSTEM-3 IN 1 CHEMICAL

Cleaner-coater system for aluminium is a much simplified treatment than 6 tank process. This is done in a single tank with 3 in 1 chemical. In this system, all three processes of degreasing, oxide layer removal and aluminium phosphating are done with single chemical, thus making the process time effective. However, its corrosion resistance and bonding properties are much inferior than conventional chromating process.

5. PROBLEMS BECAUSE OF IMPROPER PRETREATMENT

Pretreatment is the base for powder coating. It is said that you can not make a good coating work with poor pretreatment. Hence utmost care should be taken to ensure proper pretreatment is applied before powder coating.

Proper pretreatment means application of the right process and proper maintenance of the chemicals.

PROBLEMS BECAUSE OF IMPROPER CLEANING :-

1. Appearance of oily patches.
2. Appearance of pin holes.
3. Appearance of rusty surface beneath powder coating film.

PROBLEMS BECAUSE OF IMPROPER CONVERSION COATING :-

1. Reduced resistance to weather.
2. Reduced mechanical resistance.
3. Poor finish of the powder coating film.

PROBLEMS BECAUSE OF IMPROPER DRYING :-

1. Appearance of pin holes.
2. Poor bonding of the powder coating film.

These problems can be avoided by the choice of right process – right chemicals and proper maintenance of the chemicals.



DEGREASING CHEMICALS

Clean Y-25

It is alkaline areas water soluble. work very effectively on heavy to light grease, dirt and oil etc. on ferrous metal and their alloys at the working temperature 60-65 degree celsius.

Clean Y-20

It is an alkali base non caustic cleaner. it is very effective for removing grease, oil and dirt from any metal. it is also a hot process chemical.

Clean Y-30

It is a heavy alkaline cleaner with lower temperature. it remove oil, grease, etc. rapidly from all ferrous metals.

Clean Y-45

It is non caustic based special kind of chemical with very good results on all metal in spray process.



Clean

It is non-caustic based chemical. it is very effective on dye casting aluminum components for removing sebum oil and dirt.

Aluklin

This is an acid base liquid chemical it clean dirt and oil from aluminum sheet metal at ambient temp.



DERUSTING CHEMICALS

Rustodin Y-10

It is a special phosphoric acid base derusting chemical containing other acids and wetting agents. it is suit for dipping process in hot as well as cold process on M.S. components.



Rustodin Y-25

This chemical can be used in derusting medium to light duty rest form metal surface at the working temp. 450C to 550C.

Rustodin Y-35

This is a strong for formulation and special inhibitors base liquid chemical. It effectively removes rust & scale in hot/cold process.

Scale Kill

It is very heavy duty rust & scale remover It can be used on ferrous metals at normal to Elevated temp.

Clean Y-40

It is liquid acid base 2 in 1 Process Chemical. It effectively removes oil Sebum & Grease contamination from the surface of iron of sheet component.

ACTIVATION CHEMICALS

Toner

It is white crystalline powder highly oxidizing used used in hot as well as cold phosphating process.

PHOSPHATING CHEMICALS

Toner

Liquid Accelerator for Phosphating Chemicals.

TIO -(G)

It is Iron Phosphate liquid chemical having the properties of removing light oil and rust on metal surface. It gives a protective layer of Iron Phosphate at room temp.

Tio -(W)

It is also triple action liquid chemical gives a light protective layer of phosphate after removing light oil and rust at room temp to 45 celceous.

PHOSCOAT (Y-361)

It is a Zinc Calcium based phosphating solution gives a fine smooth zinc phosphate coating at working tem. 60C to 65C



PHOSCOAT(Y-240)

It is used for medium to heavy weight zinc phosphate coating at working temp of 60C to 65C.



PHOSCOAT 160

This is micro crystalline phosphating solution gives a good protective coating on iron & Steel surface at working temp of 55-60C.

PHOSCOAT 355

This is a nickel based phosphate coating it gives a fine micro crystalline zinc Phosphate coating. It can be used in dip as well as spray process.

PHOSCOAT 357

It is a zinc calcium modified phosphate coating gives a dark smooth coating.

PHOSCOAT 358

It is a zinc and nickel modified phosphating process used in hot process at the working temp of 50C to 55C.



PHOSCOAT GI

Phosphating Chemicals for Galvanized Sheets.

PHOSCOAT GI(S)

It is used in spray process for Galvanized sheet.

PHOSCOAT(NANO) 100

It is low temp. Zinc calcium Phosphating process gives light to medium zinc phosphate coating at room temperature on ferrous metal.

PHOSCOAT 105

It is Low temp. Zinc Phosphating process gives light to medium zinc phosphate coating at room temperature on ferrous metal.

PHOSCOAT MN

MN-It is manganese iron phosphate coating process provide a dark black coating at working temp. of 80-90C. it is very effective protective coating used for phosphating sealing components.





PASIVATION CHEMICALS

pass 40

It is Chromium based passivating chemical used in the passivation process.

Pass 70

It is Chromium free passivation chemical used in the passivation process.

CHROMOTIZING CHEMICALS

These chemical gives a good and protective coating on aluminum sheet and dye aluminum

AL(Y)

It gives a golden cromate coating on aluminum.

AL(G)

It gives a green cromate coating on aluminum.

RUST PREVENTIVE OILS

Rusto DI

it is non-drying type rust preventive oil used for sealing the iron surface after phosphating.

Rusto YC

It is drying type rust preventive oil used for sealing the iron surface after phosphating.


BLACKNING CHEMICALS

Coat BL

This chemical produce a uniform black oxide coating on iron and alloy steel components for decorative & protective finishes.

PAINT STRIPPERS

This chemical remove paint/powder coating from metal without harming the surface.



YASH CHEMICAL INDUSTRIES

(An ISO 9001:2015 Certified Company)

Kh No.74 Guldhar Meerut Road, Ghaziabad (U.P.)

For any Queries or Feedback

Call Us : 9811859110, 8708913906

E-mail : yashchemicalindustries@gmail.com

Visit Us : www.yashchemicalindustries.com

